Application No.	Applicant(s)		
10/805,633	RIDINGS, PHILLIP	RIDINGS, PHILLIP VINCENT	
Examiner	Art Unit		
Hung X. Dang	2873		
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. 🗵 This communication is responsive to <u>9/4/07</u> .			
2. 🔀 The allowed claim(s) is/are <u>4-10</u> .			
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
6. ☐ Interview Summary Paper No./Mail Da 8), 7. ☑ Examiner's Amend	/ (PTO-413), ate ment/Comment	, I	
	Examiner Hung X. Dang Pars on the cover sheet with the example of the appropriate communication is subject and MPEP 1308. The been received in Application Nocuments have been received in this communication to file a reply item. The been received in Application in the application. The been received in Application in the application of this application. The been received in Application in the application of the application. The been received in Application in the application of the application. The been received in Application in the application of the application of the application. The been received in Application in the application of the applicati	Examiner Hung X. Dang 2873 Pars on the cover sheet with the correspondence addition of the appropriate communication will be mailed in due GHTS. This application is subject to withdrawal from issuand MPEP 1308. Deen received	

Application/Control Number: 10/805,633

Art Unit: 2873

Page 2

Examiner's Amendment

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

New Abstract

--A device for performing in eye test includes a display for animated visual acuity letters and sealable dynamic letters, a computer to control the display and to link to a patient database, and the display having at least a contrast sensitivity of 400:1, a true rez visual acuity letter of 1°, a screen resolution of 1024 and a ambient light 768> 4500K.—

Examiner's Comment

2. The drawings are objected to because there are 2 sets of figures 5 and 6, one of the set should be canceled.

Claims Allowed

3. Claims 4-10 are allowed.

Reasons For Allowance

4. The following is an Examiner's Statement of Reasons for Allowance:

Application/Control Number: 10/805,633

Art Unit: 2873

Page 3

The prior art fails to teach a combination of all the claimed features as present in independent claim 4, which include a computer to control said display and to link to a patient database, said display having at least a contrast sensitivity of 400:1, a true rez visual acuity letter of 1°, a screen resolution of 1024 and a ambient light 768> 4500K.

Any comments considered necessary by applicant must be submitted no later than the payment of the Issue Fee and, to avoid processing delays, should preferably accompany the Issue Fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

5. Any inquiry concerning this communication should be directed to Examiner Dang at telephone number (571) 272-2326.

9/07

Hung X. Dang

Primary Examiner

Art Unit 2873